



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

| PO No | Supplier | Line Item No | Rel No | Terms | Purchased Item | Description | For Part No | Project | Equipment ID | Order Qty | Due Date | Received Quantity | Accounting Job No | Container No | Status | Receive Date | Price/Unit | Aging Days | Past Due | Total | Supplier Name |
|---------------|-----------|--------------|--------|--------|----------------|--|-------------|---------|--------------|------------|----------|-------------------|-------------------|--------------|--------|--------------|--------------|------------|----------|-------------------|---------------------------------|
| P0039152 | DIV001-VU | 1 | 1 | Net 30 | M304EX0.75-16F | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | | | | 704 | 7/9/2018 | 704 | | S093684 | Stock | 7/12/2018 | \$ 4.20 / sf | 7 | | \$2,956.80 | Diversified Industrial Products |
| Total: | | | | | | | | | | 704 | | 704 | | | | | | | | \$2,956.80 | |

Plex 7/19/2018 10:51 AM dart.Tollis.Andrew



14 Connor Lane, Deer Park, NY 11729 Tel: 631.761.6200 Fax: 631.761.6201

| | | |
|---------------|------------|----|
| Customer PO # | Order Date | SP |
| PO039152 | 03/01/18 | AB |

| | |
|--------------------|----------|
| Sales Order Number | 45583 |
| Invoice Date | 7/9/2018 |
| Invoice Number | 67783 |

| | |
|--------|---------|
| # Pkg. | 1 SKID |
| Weight | 600 LBS |

| |
|---|
| Ship To: |
| DART AEROSPACE LTD. 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7 CANADA |

| | | |
|-----------|-------------|--------------|
| Ship Date | Shipped Via | Test Reports |
| 7/9/2018 | JOURNEY FRT | Y |

| Item # | Order Qty | U/M | Description | Qty Shipped | Bal. on Order |
|--------|-----------|-----|--|-------------|---------------|
| 1 | 4800 | SF | <p>EXPANDED METAL FLAT 304/316 STAINLESS STEEL EXPANDED METAL DIAMOND ASTM A 240, ASTM F1267 OR MIL-M-17194D MILL: NAS; HEAT #: 457D <i>AK</i></p> <p>150 SHEETS TO BE RELEASED AS NEEDED, SHEETS ARE 4 FT X 8 FT EXPECTED RELEASE DATES ARE LISTED BELOW: (SUBJECT TO CHANGE) 704 SF (22 SHEETS) DUE 07/09/18 704 SF (22 SHEETS) DUE 08/08/18 704 SF (22 SHEETS) DUE 09/10/18 672 SF (21 SHEETS) DUE 10/08/18 672 SF (21 SHEETS) DUE 11/08/18 672 SF (21 SHEETS) DUE 12/11/18 672 SF (21 SHEETS) DUE 12/12/18</p> | 704 | 4,096 |

PACKING LIST
CERTIFICATE OF COMPLIANCE

We certify that the materials described above conform to the specifications stated.

Callie Vail
Quality Control Manager



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO039152**

Supplier: DIV001-VU
Diversified Industrial Products
14 Connor Lane
Deer Park, NY 11803 USA
Phone: 516 822 8300
Fax: 516 822 8332

PO No: PO039152

PO Date: 3/1/18

Due Date: 12/20/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED

MAR 02 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Pymt Terms: net 30

Freight Terms:

Special Comments: note delivery date TBA

Items

| Line Item | Part | Supplier Part No | Description | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (USD) | Extended Price |
|-----------|----------------|------------------|---|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 7/9/18 | 704 sf | 0 sf | 704 sf | \$4.20/sf | \$2,956.80 |
| 2 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 8/8/18 | 704 sf | 0 sf | 704 sf | \$4.20/sf | \$2,956.80 |
| 3 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 9/10/18 | 704 sf | 0 sf | 704 sf | \$4.20/sf | \$2,956.80 |
| 4 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 10/8/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| 5 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 11/8/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |

Plex 3/1/18 11:00 AM dart.lavoie.chanta

| Items | | | | | | | | | | |
|--|----------------|------------------|---|--------|----------|----------------|-------------------|---------|------------------|--------------------|
| Line Item | Part | Supplier Part No | Description | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (USD) | Extended Price |
| 6 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 12/11/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| 7 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 12/12/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| Grand Total: | | | | | | | | | | \$20,160.00 |
| Order Notes | | | | | | | | | | |
| <p>Procurement Quality Clauses</p> <p>A005 right of entry</p> <p>A012 chemical and physical test report</p> <p>A016 personnel qualification</p> <p>A017 raw material identification (as applicable)</p> <p>A026 certification of material conformance</p> <p>A041 quality management system</p> <p>A042 dart notification by supplier</p> <p>A043 retention of quality documents</p> <p>A048 counterfeit parts avoidance, detection, mitigation and disposition program</p> <p>A049 supplier awareness</p> <p>Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.</p> | | | | | | | | | | |

Plex 3/1/18 11:00 AM dart.lavoie.chantal



Customer: 0007 092
DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 11729

DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 11729

METALLURGICAL TEST REPORT

**66870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000**

57001: 304

Your Order: **4500815062**

Order: AM 0757720 01

Correlation: APTX A262/15 A1280Hnd-O

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED; UNS 30400
H01024-7 & H01008-2, 1.4301
ASTM A240/146, A480/150, A566/15; SIZE 54240/15, SA656/15
ANNEALING TEMP 1900F, WATER QUENCHED; MIL-B-4043B
RACE H01078/180 15256-312043 A, H01031/07; Q05765D-A X HQG PERH
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED
ASTM A240/146 (SUPPLEMENTED)

REMARKS:

EN 10204 3-1; Rous 1 & 2 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: RAP, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
EN 10204 3-1B (SUPERSEDED)

STANTANT COMPLIANT

16 GA T-304

| Product ID # | Coil # | Thickness | Width | Weight | Length | Mark | Pieces | COMMODITY CODE NUMBER |
|--------------|-----------|-----------|---------|--------|--------|--------|--------|-----------------------|
| 02457D BB | 02457D BB | .0600 | 48.0000 | 14,870 | COIL | 1523.3 | 1 | 160009453 |

CHEMICAL ANALYSIS
 CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)
 Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323
 Chemical Analysis per ASTM A751/14a
 HEAT CM

[illegible]

MECHANICAL PROPERTIES


| Product ID # | Coil # | 1 d o i s r | UTS | 20C | 20C KSI | 1% Y8 KSI | 20C KSI | 20C ELONG %-2" | % Hard HA | Tail Hard | Grain No. |
|--------------|-----------|-------------------|-------|-------|------------|--------------|------------|-------------------|--------------|--------------|--------------|
| 02457D BB | 02457D BB | P T | 95.35 | 46.81 | 53.00 | 51.12 | 84.50 | 8.00 | | | |

Company DART AEROSPACE
PO# PO039152
Our Inv. # 67783
Qty. 704 SF
Part #
QC Dept. Cathie Vail

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

KRIS LARK 7/12/2017

SPECIFICATION CONTROL DRAWING



| STYLE | SIZE OF DIAMOND | | | | | | SIZE OF STRAND | | | | WEIGHT | |
|--------|-----------------|------|------|------|-------|-------|----------------|-------|-------|------|--------|------|
| | "A" | | | "B" | | | WIDTH "W" | | THICK | | lb/ft² | |
| | STD | FLAT | STD | FLAT | STD | FLAT | STD | FLAT | STD | FLAT | STD | FLAT |
| 1/2-18 | 0.48 | 0.48 | 1.20 | 1.24 | 0.085 | 0.100 | 0.050 | 0.040 | 0.73 | 0.70 | | |
| 1/2-16 | 0.48 | 0.48 | 1.20 | 1.24 | 0.085 | 0.100 | 0.062 | 0.050 | 0.91 | 0.90 | | |
| 3/4-18 | 0.90 | 0.90 | 2.00 | 2.10 | 0.100 | 0.118 | 0.050 | 0.040 | 0.47 | 0.46 | | |
| 3/4-16 | 0.90 | 0.90 | 2.00 | 2.10 | 0.100 | 0.118 | 0.062 | 0.050 | 0.60 | 0.57 | | |
| 3/4-13 | 0.90 | 0.90 | 2.00 | 2.10 | 0.100 | 0.118 | 0.094 | 0.070 | 0.91 | 0.88 | | |
| 3/4-9 | 0.90 | 0.90 | 2.00 | 2.10 | 0.150 | 0.165 | 0.140 | 0.120 | 2.05 | 1.96 | | |

* A TOLERANCE OF +/- 10% OR +/- 0.07 (MIN) IS PERMITTED

RELEASED
2010-05-28

PURCHASE MATERIAL AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A276)

SPECIFICATION ASTM F1267 OR MIL-A-17194D

PART NUMBER M004EX1Y YY TT F
[SIZE] [GA]

Y, YY = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG 3/4"-16F, EXPANDED METAL MESH (FLATTENED) = M004EX075-16F

| | | |
|----------|-------------|------|
| REV | DESCRIPTION | DATE |
| DESIGN | | |
| DRAWN | | |
| CHECKED | | |
| MFG APPR | | |
| APPROVED | | |
| DATE | | |

| | | | | |
|--|----|----|----|------|
| FORMAT DWG. ADD MIL/ASTM SPECS (ZN AB-1), ADD TABLE & DETAIL (ZN CB-1), REF NCR 594-090 | CP | DS | EV | DATE |
| | | | | |

| | |
|---|--------------|
| DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWING NO | REV B |
| M004EX | SHEET 1 OF 1 |
| TITLE | SCALE |
| 304/316 SS EXPANDED METAL MESH | MIS |
| DATE | 10 01 11 |

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304EXD. 35-16F
 DATE: 18/07/19

PO / BATCH NO.: P0039152/5093684

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 704sf
 QUANTITY INSPECTED: 704sf
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.75"
 THICKNESS RECEIVED: 0.75"
 SHEET SIZE ORDERED: 4'x8'
 SHEET SIZE RECEIVED: 4'x8'

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|---|------------------------------------|------------------------------------|-----------|
| SURFACE DAMAGE | Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | N | |
| CORROSION | Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL PER M-DRAWING | <input checked="" type="radio"/> Y | N | ASTM A240 |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | N | |
| PHOTO REQUIRED | Y | <input checked="" type="radio"/> N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | N | LT: 4570 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|---------|
| | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL | | | | | |
| SIZE OF TEST SAMPLE | | | | | |
| HARDNESS / DUROMETER READING | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
|-------------------------|--|-----------------------------------|--|
| INSPECTED BY: <u>AT</u> | | SIGNED OFF BY: _____ | |
| DATE: <u>18/07/19</u> | | DATE: _____ | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in